

INDEX



FLOODLIGHTS	01
COB DOWNLIGHTS	07
LED PANELS	10
LED BULBS	13
LED TUBES	15
STRIP LIGHTS	18
HIGHBAYS	23
PAR LIGHTS	24
HIGH POWER DOWNLIGHTS	25



LED FLOODLIGHTS



10W

LED FLOODLIGHT



VOLTAGE/FREQUENCY:	AC: 90-240V, 50/60H z
WATTS:	10W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY / BLACK
SIZE	115 X 85MM
SKU:	16008 RGB

20W

LED FLOODLIGHT



VOLTAGE/FREQUENCY:	AC: 90-240V, 50/60H z
WATTS:	20W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY / BLACK
SIZE	180 X 145 MM
SKU:	16015 RGB

30W

LED FLOODLIGHT



VOLTAGE/FREQUENCY:	AC: 90-240V, 50/60H z
WATTS:	30W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY / BLACK
SIZE	225 X 185MM
SKU:	16021 RGB



LED FLOODLIGHTS



50W

LED FLOODLIGHT



INPUT VOLTAGE:	AC: 90-240V, 50/60Hz
POWER CONSUMPTION:	50W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY / BLACK
SIZE:	180 X 145MM
SKU:	16030 RGB

100W

LED FLOODLIGHT





INPUT VOLTAGE:	AC: 90-240V, 50/60Hz
POWER CONSUMPTION:	100W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY / BLACK
SIZE:	360 X 285MM
SKU:	16002 RGB



LED FLOODLIGHTS

10W



LED FLOODLIGHT



INPUT VOLTAGE:	AC: 90-240V, 50/60Hz
POWER CONSUMPTION:	10W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY/BLACK
SIZE:	115 X 85MM
SKU:	16009 WHITE 16010 WARM WHITE 16007 RED 16005 BLUE 16006 GREEN

20W



LED FLOODLIGHT



INPUT VOLTAGE:	AC: 90-240V, 50/60Hz
POWER CONSUMPTION:	20W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY/BLACK
SIZE:	180 X 145 MM
SKU:	16016 WHITE 16017 WARM WHITE 16014 RED 16012 BLUE 16013 GREEN

30W

LED FLOODLIGHT





INPUT VOLTAGE:	AC: 90-240V, 50/60Hz
POWER CONSUMPTION:	30W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY/BLACK
SIZE:	225 X 185MM
SKU:	16022 WHITE 16023 WARM WHITE 16020 RED 16018 BLUE 16019 GREEN

LED FLOODLIGHTS



50W



LED FLOODLIGHT



INPUT VOLTAGE: AC: 90-240V, 50/60Hz
POWER CONSUMPTION: 50W
LUMINOUS EFFICIENCY: 80 LM/W
IP RATING: IP65
BODY COLOR: GREY / BLACK
SIZE: 180 X 145MM
SKU: 16031 WHITE
16032 WARMWHITE
16029 RED
16027 BLUE
16028 GREEN

70W

LED FLOODLIGHT



INPUT VOLTAGE: AC: 90-240V, 50/60Hz
POWER CONSUMPTION: 70W
LUMINOUS EFFICIENCY: 80 LM/W
IP RATING: IP65
BODY COLOR: GREY / BLACK
SIZE: 360 X 255 MM
SKU: 16043 WHITE
16044 WARMWHITE

100W

LED FLOODLIGHT



WATTS: 100W
EQ. WATTS: 400W
LUMENS: 8000LM
VOLTAGE: 85V - 240V
BEAM ANGLE: 120°
SIZE: 360 X 285 MM
SKU: 16052 WHITE
16051 WARMWHITE



LED FLOODLIGHTS

30W WITH LENS



SKU CODE:
16025 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
CRI:
PF:
BEAM ANGLE:
COLOR OF FIXTURE:
BODY MATERIAL:
IP RATING:
SIZE:

30W
120W
AC: 90-240V, 50/60Hz
2400LM
> 80
> 0.8
90°D/120°D
GRAFFITTI BLACK
ALUMINUM
IP65
185 X 135 X 225 MM

50W WITH LENS



SKU CODE:
16026 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
CRI:
PF:
BEAM ANGLE:
COLOR OF FIXTURE:
BODY MATERIAL:
IP RATING:
SIZE:

50W
200W
AC: 90-240V, 50/60Hz
4000LM
> 80
> 0.8
90°D/120°D
GRAFFITTI BLACK
ALUMINUM
IP65
240 X 140 X 288 MM

140W 2X70W FLOOD LIGHT



SKU CODE:
16034 WHITE
16035 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
CRI:
PF:
BEAM ANGLE:
COLOR OF FIXTURE:
BODY MATERIAL:
IP RATING:
SIZE:

140W
560W
AC: 90-240V, 50/60Hz
11200LM
> 70
> 0.8
120°D
BLACK
ALUMINUM
IP65
220 X 300 X 605 MM

160W 2X80W FLOOD LIGHT



SKU CODE:
16037 WHITE
16036 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
CRI:
PF:
BEAM ANGLE:
COLOR OF FIXTURE:
BODY MATERIAL:
IP RATING:
SIZE:

160W
640W
AC: 90-240V, 50/60Hz
12800LM
> 75
> 0.9
120°D
BLACK
ALUMINUM
IP65
200 X 450 X 310 MM

150W 3X50W FLOOD LIGHT



SKU CODE:
16040 WHITE
16041 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
CRI:
PF:
BEAM ANGLE:
COLOR OF FIXTURE:
BODY MATERIAL:
IP RATING:

150W
600W
AC: 90-240V, 50/60Hz
12000LM
> 75
> 0.9
120°D
BLACK
ALUMINUM
IP65

200W 4X50W FLOOD LIGHT



SKU CODE:
16049 WHITE
16050 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
CRI:
PF:
BEAM ANGLE:
COLOR OF FIXTURE:
BODY MATERIAL:
IP RATING:

200W
800W
AC: 85-265V, 50/60Hz
16000LM
> 75
> 0.9
120°D
GREY
ALUMINUM
IP65

LED FLOODLIGHTS



150W

150W LED FLOODLIGHT



VOLTAGE/FREQUENCY:	AC: 90-240V, 50/60Hz
WATTS:	150W
LUMINOUS EFFICIENCY:	80 LM/W
IP RATING:	IP65
BODY COLOR:	GREY BODY
SIZE:	200 X 450 X 310 MM
SKU:	16038 WHITE 16039 WARMWHITE

150W

3X50 150W LED FLOODLIGHT



WATTS	150W
EQ. WATTS	600W
LUMENS	12000LM
VOLTAGE	85V - 240V
BEAM ANGLE	120°
SIZE:	200 X 450 X 310 MM
SKU	16062 WHITE

200W

4X50 200W LED FLOODLIGHT



WATTS	200W
EQ. WATTS	800W
LUMENS	16000LM
VOLTAGE	85V - 240V
BEAM ANGLE	120°
SIZE:	200 X 450 X 310 MM
SKU	16061 WHITE



COB DOWNLIGHTS

3W**SC-203 RD**

UNIT SIZE: Ø 70MM
CUTTING SIZE: Ø 60MM

SKU CODE:
13212 WHITE
13213 WARMWHITE

**3W****SC-203 SQ**

UNIT SIZE: 70 X 70MM
CUTTING SIZE: 60 X 60MM

SKU CODE:
13214 WHITE
13215 WARMWHITE



WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

3W
180 LM
WHITE / WARM WHITE

WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

3W
180 LM
WHITE / WARM WHITE

**SC-207 SQ****7W**

SKU CODE:
13218 WHITE
13219 WARMWHITE

UNIT SIZE: 100 X 100 MM
CUTTING SIZE: 85 X 85 MM

WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

7W
420 LM
WHITE / WARMWHITE

**SC-212 SQ****12W**

SKU CODE:
13222 WHITE
13223 WARMWHITE

UNIT SIZE: 125 X 125 MM
CUTTING SIZE: 110 X 110 MM

WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

12W
720 LM
WHITE / WARMWHITE

**SC-215 SQ****15W**

SKU CODE:
13224 WHITE
13225 WARMWHITE

UNIT SIZE: 165 X 165 MM
CUTTING SIZE: 140 X 140 MM

WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

15W
900 LM
WHITE / WARMWHITE

**SC-207 RD****7W**

SKU CODE:
13216 WHITE
13217 WARMWHITE

UNIT SIZE: Ø 100 MM
CUTTING SIZE: Ø 85 MM

WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

7W
420 LM
WHITE / WARMWHITE

**SC-212 RD****12W**

SKU CODE:
13220 WHITE
13221 WARMWHITE

UNIT SIZE: Ø 125 MM
CUTTING SIZE: Ø 110 MM

WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

12W
720 LM
WHITE / WARMWHITE

**SC-215 RD****15W**

SKU CODE:
13226 WHITE
13227 WARMWHITE

UNIT SIZE: Ø 165 MM
CUTTING SIZE: Ø 145 MM

WATTS:
LUMINOUS FLUX:
COLOR TEMPERATURE:

15W
900 LM
WHITE / WARMWHITE

COB DOWNLIGHTS



10W

SC-210



VOLTAGE/FREQUENCY:

WATTS:

LUMINOUS FLUX:

SIZE:

CUTTING SIZE:

SKU CODE:

AC: 220-240V, 60Hz

10W

650 LM

130 X 50 MM

115 MM

13238 WHITE

13237 WARMWHITE

20W

SC-220



VOLTAGE/FREQUENCY:

WATTS:

LUMINOUS FLUX:

SIZE:

CUTTING SIZE:

SKU CODE:

AC: 100-265V, 50/60Hz

20W

1100 LM

190 X 60 MM

170 MM

13242 WHITE

13241 WARMWHITE

30W

SC-230



**HEAT
SINK**

VOLTAGE/FREQUENCY:

WATTS:

LUMINOUS FLUX:

SIZE:

CUTTING SIZE:

SKU CODE:

AC: 220-240V, 50/60Hz

30W

2000 LM

220 X 60 MM

200 MM

13240 WHITE

13239 WARMWHITE



RGB BULB

3W

RGB LED CUP LIGHT



COLOR CHANGING LED BULB

WATTS:

3W

INPUT VOLTAGE:

AC 170-265V, 50Hz

LUMINOUS FLUX:

180 LM

AVAILABLE IN:

SKU CODE: 15157

E27



SKU CODE: 12025

GU10



SKU CODE: 12027

MR-16



LED PANELS



3W

LED PANEL ROUND



SKU CODE:

13769 WHITE
13770 WARMWHITE

**2 Pcs
PACKING**

UNIT SIZE: Ø 93 MM
CUTTING SIZE: Ø 64.5 MM

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

3W
10W
AC: 90-265V, 50 H z
165LM
SMD 2835
>75
>0.6
120°D
ALUMINUM(PKW)

3W

LED PANEL SQUARE



SKU CODE:

13771 WHITE
13772 WARMWHITE

**2 Pcs
PACKING**

UNIT SIZE: 90 X 90MM
CUTTING SIZE: 65.5 X 65.5MM

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

3W
10W
AC: 90-265V, 50 H z
165LM
SMD 2835
>75
>0.6
120°D
ALUMINUM(PKW)

6W

LED PANEL ROUND



SKU CODE:

13773 WHITE
13774 WARMWHITE

UNIT SIZE: Ø 120 MM
CUTTING SIZE: Ø 103 MM

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

6W
20W
AC: 90-265V, 50 H z
360LM
SMD 2835
>75
>0.6
120°D
ALUMINUM(PKW)

6W

LED PANEL SQUARE



SKU CODE:

13775 WHITE
13776 WARMWHITE

UNIT SIZE: 120 X 120 MM
CUTTING SIZE: 100 X 100 MM

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

6W
20W
AC: 90-265V, 50 H z
360LM
SMD 2835
>75
>0.6
120°D
ALUMINUM(PKW)

12W

LED PANEL ROUND



SKU CODE:

13763 WHITE
13764 WARMWHITE

UNIT SIZE: Ø 170 MM
CUTTING SIZE: Ø 150 MM

WATTS
EQ. WATTS
VOLTAGE/FREQUENCY
LUMINOUS FLUX
LED CHIP
CRI
PF
BEAM ANGLE
BODY MATERIAL

12W
36W
AC: 90-265V, 50 H z
860LM
SMD 2835
>75
>0.6
>120°D
ALUMINUM(PKW)

12W

LED PANEL SQUARE



SKU CODE:

13760 WHITE
13762 WARMWHITE

UNIT SIZE: 172 X 172 MM
CUTTING SIZE: 148 X 148 MM

WATTS
EQ. WATTS
VOLTAGE/FREQUENCY
LUMINOUS FLUX
LED CHIP
CRI
PF
BEAM ANGLE
BODY MATERIAL

12W
36W
AC: 90-265V, 50 H z
720LM
SMD 2835
>75
>0.6
>120°D
ALUMINUM(PKW)



LED PANELS

18W

LED PANEL ROUND



SKU CODE:
13765 WHITE
13766 WARMWHITE

UNIT SIZE: Ø 226 MM
CUTTING SIZE: Ø 200 MM

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

18W
54W
AC: 90-265V, 50 H z
1080LM
SMD 2835
>75
> 0.6
>120°D
ALUMINUM(PKW)

18W

LED PANEL SQUARE



SKU CODE:
13767 WHITE
13768 WARMWHITE

UNIT SIZE: 225 X 225 MM
CUTTING SIZE: 200 X 200 MM

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

18W
54W
AC: 90-265V, 50 H z
1080LM
SMD 2835
>75
> 0.6
>120°D
ALUMINUM(PKW)

24W

LED PANEL ROUND



UNIT SIZE: Ø 220 MM
CUTTING SIZE: Ø 205 MM

SKU CODE:
13820 DAYWHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

24W
72W
AC: 85-240V, 50 HZ
1500LM
SMD 2835
>75
> 0.9
120°D
ALUMINUM(PKW)

24W

LED PANEL SQUARE



UNIT SIZE: 220 X 220 MM
CUTTING SIZE: 205 X 205 MM

SKU CODE:
13819 DAYWHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

24W
72W
AC: 85-240V, 50 HZ
1500LM
SMD 2835
>75
> 0.9
120°D
ALUMINUM(PKW)

6W

SC-406 RD




SKU CODE:
13824 WHITE
13829 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

6W
24W
AC: 100-265V, 50/60 H z
480LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)
Ø120 X 128 MM

6W

SC-406 SQ



SKU CODE:
13778 WHITE
13777 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:

6W
24W
AC: 100-265V, 50/60 H z
480LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)
160 X 160 X 60 MM

LED PANELS



12W

SC-412 RD




SKU CODE:
13782 WHITE
13781 WARMWHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:
SIZE:

12W
48W
AC: 100-265V, 50/60 H z
960LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)
Ø 170 X H38 MM

12W

SC-412 SQ



SKU CODE:
13780 WHITE
13779 WARMWHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:
SIZE:

12W
48W
AC: 100-265V, 50/60 H z
960LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)
170 X 170 X 38 MM

18W

SC-418 RD




SKU CODE:
13786 WHITE
13785 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:
SIZE:

18W
72W
AC: 100-265V, 50/60 H z
1440LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)
Ø 225 X H38 MM

18W

SC-418 SQ



SKU CODE:
13784 WHITE
13783 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:
SIZE:

18W
72W
AC: 100-265V, 50/60 H z
1440LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)
225 X 225 X 38 MM

27W

LED SURFACE PANEL



SKU CODE:
13816 WHITE
13817 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:
SIZE:

27W
81W
AC: 100-265V, 50/60 HZ
1700LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)

27W

LED SURFACE PANEL



SKU CODE:
13828 WARM WHITE

WATTS:
EQ. WATTS:
VOLTAGE/FREQUENCY:
LUMINOUS FLUX:
LED CHIP:
CRI:
PF:
BEAM ANGLE:
BODY MATERIAL:
SIZE:

27W
81W
AC: 100-265V, 50/60 HZ
1700LM
2835
>80
> 0.7
120°D
ALUMINUM(PKW)



LED BULBS

2W

SC-112



WATTS: 2W
VOLTAGE/FREQUENCY: AC: 220-240V, 50/60Hz
LUMINOUS FLUX: 176 LM
BASE: E27, B22

E27



SKU CODE FOR E27:
12046 WHITE
12047 WARM WHITE

B22



SKU CODE FOR B22:
12038 WHITE
12039 WARM WHITE

3W

SC-113



WATTS: 3W
VOLTAGE/FREQUENCY: AC: 220-240V, 50/60Hz
LUMINOUS FLUX: 298 LM
BASE: E27, B22

E27



SKU CODE FOR E27:
12048 WHITE
12049 WARM WHITE

B22



SKU CODE FOR B22:
12040 WHITE
12041 WARM WHITE

5W

SC-115



WATTS: 5W
VOLTAGE/FREQUENCY: AC: 220-240V, 50/60Hz
LUMINOUS FLUX: 352 LM
BASE: E27, B22

E27



SKU CODE FOR E27:
12050 WHITE
12083 WARM WHITE

B22



SKU CODE FOR B22:
12042 WHITE
12043 WARM WHITE

LED BULBS



7W

SC-117



SKU CODE FOR **B22:**

12044 WHITE

12045 WARM WHITE

SKU CODE FOR **E27:**

12081 WHITE

12082 WARM WHITE

B22



WATTS: 7W

LUMINOUS FLUX: 484 LM

BASE: E27, B22

VOLTAGE/FREQUENCY: AC: 220-240V, 50/60Hz

E27



9W

SC-119



WATTS: 9W

VOLTAGE/FREQUENCY: AC: 85-240V, 50 Hz

LUMINOUS FLUX: 540LM

BASE: E27

SKU CODE:

12093 WHITE

12094 WARMWHITE

12W

SC-1112



WATTS: 12W

VOLTAGE/FREQUENCY: AC: 85-240V, 50 Hz

LUMINOUS FLUX: 720LM

BASE: E27

SKU CODE:

12095 WHITE

12096 WARMWHITE



LED TUBES

10W

T8 TUBE



WATTS 10W
EQ. WATTS 25W
VOLTAGE/FREQUENCY AC: 100-240V, 50 HZ
LUMINOUS FLUX 900 LM
LED CHIP SMD
CRI >70
PF > 0.6
BEAM ANGLE 120°D
BODY MATERIAL PLASTIC + ALUMINUM
IP RATING IP20
DIMENSION L=60CM

SKU CODE:

17165 6000K WHITE

17166 3000K WARMWHITE



2 FT

18W

T8 TUBE



WATTS 18W
EQ. WATTS 45W
VOLTAGE/FREQUENCY AC: 100-240V, 50 HZ
LUMINOUS FLUX 1530 LM
LED CHIP SMD
CRI >70
PF > 0.6
BEAM ANGLE 120°D
BODY MATERIAL PLASTIC + ALUMINUM
IP RATING IP20
DIMENSION L=120CM

SKU CODE:

17163 6000K WHITE

17164 3000K WARMWHITE



4 FT

18W

T8 TUBE



WATTS 18W
EQ. WATTS 45W
VOLTAGE/FREQUENCY AC: 220-240V, 50/60 HZ
LUMINOUS FLUX 1400 LM
LED CHIP SMD
CRI >70
PF > 0.6
BEAM ANGLE 180°D
BODY MATERIAL GLASS
IP RATING IP20
DIMENSION L=120CM

17160 6000K WHITE



4 FT

LED TUBES



10W

T8 TUBE WITH FITTINGS



SKU CODE:

17157 6000K WHITE

17158 3000K WARMWHITE

17159 4500K DAYWHITE

2FT

WATTS	10W
EQ. WATTS	25W
VOLTAGE/FREQUENCY	AC: 100-240V, 50 HZ
LUMINOUS FLUX	900 LM
LED CHIP	SMD
CRI	>70
PF	> 0.6
BEAM ANGLE	120°D
BODY MATERIAL	PLASTIC + ALUMINUM
IP RATING	IP20
DIMENSION	L=60CM

18W

T8 TUBE WITH FITTINGS



SKU CODE:

17160 6000K WHITE

17161 3000K WARMWHITE

17162 4500K DAYWHITE

4FT

WATTS	18W
EQ. WATTS	45W
VOLTAGE/FREQUENCY	AC: 100-240V, 50 HZ
LUMINOUS FLUX	1600 LM
LED CHIP	SMD
CRI	>70
PF	> 0.6
BEAM ANGLE	120°D
BODY MATERIAL	PLASTIC + ALUMINUM
IP RATING	IP20
DIMENSION	L=120CM



LED TUBES

4W**T5 TUBE WITH FITTINGS****9W****SKU CODE:**

17147 WHITE
17155 WARMWHITE
17145 BLUE
17154 RED
17146 GREEN

WATTS 4W
EQ. Watts 10W
Voltage/Frequency AC: 100-240V, 50 Hz
Luminous Flux 360 lm
Led Chip SMD
CRI >70
PF > 0.6
Beam Angle 120'D
Body Material Plastic + Aluminum
IP Rating IP 20
Dimension L=30cm

1 FT**SKU CODE:**

17150 WHITE
17156 WARMWHITE
17148 BLUE
17149 GREEN

WATTS 9W
EQ. Watts 22W
Voltage/Frequency AC: 100-240V, 50 Hz
Luminous Flux 810 lm
Led Chip SMD
CRI >70
PF > 0.6
Beam Angle 120'D
Body Material Plastic + Aluminum
IP Rating IP 20
Dimension L=60cm

2 FT**16W****T5 TUBE WITH FITTINGS****SKU CODE:**

17153 WHITE
17151 BLUE
17152 GREEN

4 FT

WATTS 16W
EQ. WATTS 40W
VOLTAGE/FREQUENCY AC: 100-240V, 50 HZ
LUMINOUS FLUX 1440 LM
LED CHIP SMD
CRI >70
PF > 0.6
BEAM ANGLE 120'D
BODY MATERIAL PLASTIC + ALUMINUM
IP RATING IP 20
DIMENSION L=120CM

AVAILABLE COLORS (BLUE/GREEN/RED/YELLOW)
(4W-9W-16W)

18W**T5 TUBE****3 IN 1 COLOURS**
(WHITE/W-WHITE/COOL WHITE)**SKU CODE:****17159****4 FT**

WATTS 18W
EQ. WATTS 50W
VOLTAGE/FREQUENCY AC: 100-240V, 50 HZ
LUMINOUS FLUX 1620 LM
LED CHIP SMD
CRI >70
PF > 0.8
BEAM ANGLE 120'D
BODY MATERIAL PLASTIC + ALUMINUM
IP RATING IP 20

LED DECORATIVE LIGHTS



100 LED LIGHT 10M



VOLTAGE:	AC: 220-240V, 50/60H z
WATTS:	4.8W
COLOR:	R/G/B/W/M
SIZE:	10M/ROLL
IP GRADE:	IP20

SKU:	
Blue	14305
Green	14306
Multi	14307
Red	14308
White	14309
Yellow	14310


300 LED CURTAIN LED LIGHT 25M



VOLTAGE:	AC: 220-240V, 50/60H z
WATTS:	4.8W
COLOR:	R/G/B/W/M
SIZE:	25M/ROLL
IP GRADE:	IP20

SKU:	
Green	14311
Red	14312
Warm White	14313
White	14314
Multi	14318

320 LED CURTAIN LIGHT 4M X 3M



VOLTAGE:	AC: 220-240V, 50/60H z
WATTS:	4.8W
COLOR:	R/G/B/W/M
SIZE:	30M/ROLL
IP GRADE:	IP20


SKU	
Blue	14315
Multi	14316
White	14317
Red	14302
Yellow	14304
Green	14301
Warm White	14303

12W

FALLING STAR


6W

NON-VOICE CONTROL



SKU 60cm SKU 80cm

14001 RED	14009 RED
14002 BLUE	14007 BLUE
14003 GREEN	14008 GREEN
14005 RGB	14010 RGB



SKU:
14974




LED STRIP LIGHTS

LED STRIP KIT SERIES



COMPLETE READY TO USE STRIP KIT

- . Flexible LED strip with 3M self-adhesive back.
- . Proper adaptable LED power driver.
- . Remote Controller to control Various flash effects/dimming changing of light effects
- . Strip Lifespan: 20,000 hours.
- . Complies to IP20 / IP65 standards



APPLICATIONS:

- . Can be used for concealed lighting effects for false ceiling or decorative purpose
- . Also used for edge and outline for see through products
- . Used for billboards, outdoor lighting etc.

SKU	Type of kits	Voltage	Power (WATTS/M)	LEDs PER METRE	Casing	Package	Colours available
15253	5050-60	12V	14.4W	60	Waterproof	5m Roll	RGB
15252	3528-60	12V	7.2W	60	Waterproof	5m Roll	RGB

LED ROPE LIGHTS (FLAT)

- . 11x17 mm PVC flat LED rope light
- . 48 pieces LEDs/meter
- . Compatible with 8-function controllers
- . Packing Available: **40 M / 100 M , Wooden Roll packing**
- . Colors Available: **Red/Pink/Blue/Green/Multi/White/Warm White**

SKU:

Red	14511
Pink	14510
Blue	14507
Green	14508
Multi	14509
White	14512
Warm White	14513



LED NEO FLEX LIGHTS

- . 14x27 mm PVC jacket LED flex light
- . 80 pieces LEDs/meter
- . Compatible with 8-function controllers
- . Changes to any angle you desire, due to high flexibility
- . Packing available: **10 Meters Pack**
- . Colors available: **Red/Blue/Green/Multi**

SKU:

Red	14522
Blue	14519
Green	14520
Multi	14521



LED STRIP LIGHTS



FEATURES:

- Flexible LED strip with 3M self-adhesive back.
Can be directly connected through a normal LED driver.
- Covered with water proof Epoxy Resin
- Can be cut and used in any size.
- Lifespan: 20000 hours.
- Complies to IP65 and IP20 standards

APPLICATIONS:

- Can be used for concealed lighting effects for false ceiling or decorative Purposes
- Also used for edge lighting illusions and outline for see through products
- Used for billboards, outdoor lighting etc.
- Used widely and very popular With decorative lighting



SKU	Led Type	Voltage	Power (WATTS/M)	LEDs PER METRE	IP Rating	Package	Colours Available
15204	3528-60	12V	4.8 W	60	Waterproof	5m Roll	WHITE
15205	3528-60	12V	4.8 W	60	Waterproof	5m Roll	WARM WHITE
15202	3528-60	12V	4.8 W	60	Waterproof	5m Roll	GREEN
15201	3528-60	12V	4.8 W	60	Waterproof	5m Roll	BLUE
15203	3528-60	12V	4.8 W	60	Waterproof	5m Roll	RED
15251	3528-60	12V	4.8 W	60	Waterproof	5m Roll	RGB
15207	3528-60	12V	4.8 W	60	Waterproof	5m Roll	PINK
15208	3528-60	12V	4.8 W	60	Waterproof	5m Roll	PURPLE
15012	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	WHITE
15013	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	WARM WHITE
15008	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	GREEN
15007	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	BLUE
15011	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	RED
15022	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	RGB
15009	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	PINK
15010	3528-60	12V	4.8 W	60	Non-Waterproof	5m Roll	PURPLE
15028	3528-120	12V	4.8 W	120	Waterproof	5m Roll	WHITE
15029	3528-120	12V	4.8 W	120	Waterproof	5m Roll	WARM WHITE
15026	3528-120	12V	4.8 W	120	Waterproof	5m Roll	GREEN
15225	3528-120	12V	4.8 W	120	Waterproof	5m Roll	BLUE
15227	3528-120	12V	4.8 W	120	Waterproof	5m Roll	RED
15002	3528-120	12V	4.8 W	120	Non-Waterproof	5m Roll	BLUE
15003	3528-120	12V	4.8 W	120	Non-Waterproof	5m Roll	GREEN
15004	3528-120	12V	4.8 W	120	Non-Waterproof	5m Roll	RED
15005	3528-120	12V	4.8 W	120	Non-Waterproof	5m Roll	WHITE
15006	3528-120	12V	4.8 W	120	Non-Waterproof	5m Roll	WARM WHITE
15020	5050-30	12V	7.2 W	30	Non-Waterproof	5m Roll	WHITE
15021	5050-30	12V	7.2 W	30	Non-Waterproof	5m Roll	WARM WHITE
15023	5050-30	12V	7.2 W	30	Non-Waterproof	5m Roll	RGB
15217	5050-60	12V	14.2 W	60	Waterproof	5m Roll	WHITE
15218	5050-60	12V	14.2 W	60	Waterproof	5m Roll	WARM WHITE
15215	5050-60	12V	14.2 W	60	Waterproof	5m Roll	GREEN
15214	5050-60	12V	14.2 W	60	Waterproof	5m Roll	BLUE
15216	5050-60	12V	14.2 W	60	Waterproof	5m Roll	RED
15256	5050-60	12V	14.2 W	60	Waterproof	5m Roll	RGB
15018	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	WHITE
15019	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	WARM WHITE
15016	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	GREEN
15015	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	BLUE
15017	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	RED
15014	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	RGB
15221	5730-60	12V	13 W	60	Non-Waterproof	5m Roll	WARM WHITE
15222	5730-60	12V	13 W	60	Non-Waterproof	5m Roll	WHITE
15260	5630-60	12V	13 W	60	Non-Waterproof	5m Roll	WARM WHITE
15259	5630-60	12V	13 W	60	Non-Waterproof	5m Roll	WHITE
15041	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	WHITE 3-CHIPS
15042	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	WARM WHITE 3-CHIPS
15043	5050-60	12V	14.2 W	60	Non-Waterproof	5m Roll	BLUE 3-CHIPS



LED STRIP LIGHTS

FEATURES:



- Flexible LED Strip With Resin Glue and fill of glue waterproof.
- Can be directly connected to the power.
- Covered with waterproof Epoxy Resin.
- Can be cut and used in any size.
- Life Span: 20,000 hours.
- Complies to IP65.

APPLICATIONS:

- Can be used for concealed lighting effects for false ceiling or decorative purposes.
- Also used for edge lighting illusions and outline for see through products.
- Used for billboards, outdoor lighting etc.
- Used widely and very popular with decorative lighting.

5050-60



	RGB FLASHING 3-CHIPS	YELLOW	WHITE	GREEN	BLUE	RED	PINK	PURPLE	WARM WHITE	RGB	
											
SKU	15040	15115	15122	15118	15117	15121	15119	15120	15123	15116	
Power	11 W	11 W	11 W	11 W	11 W	11 W	11 W	11 W	11 W	11 W	
Package	50m	50m	50m	50m	50m	50m	50m	50m	50m	5m/50m	





3014-120



	WHITE	GREEN	BLUE	RED	WARM WHITE	
						
SKU	15046	15048	15039	15047	15038	
Power	10-12W	10-12W	10-12W	10-12W	10-12W	
Package	100m	100m	100m	100m	100m	

3014-240





	WHITE	GREEN	BLUE	WARM WHITE	
					
SKU	15049	15052	15051	15050	
Power	10-12W	10-12W	10-12W	10-12W	
Package	50m	50m	50m	50m	

LED STRIP LIGHTS



LED STRIP CONNECTORS

220V LED STRIP CONNECTORS






LED STRIP CONTROLLERS

FEATURES:

- Led Strips Controllers adopts PWM (Pulse Width Modulation) technology to control the brightness of Led Lamps / LedStrip lights.
- Support different levels brightness for each channel
- Smooth color changing Effect with no flicker
- Easily used for 3528/5050 Led Strip lights
- Speed & Brightness can be adjusted for each mode
- With Full Functional Remote Control

APPLICATIONS:

- Easily used in Indoor & Outdoor Decorative purpose along with Strip lights
- Can be used for concealed lighting effects for false ceiling or edge lighting illusions.

SKU	Picture	Features	Input Voltage	Max Current Load	Range of controller
17008		24/44 Key Buttons	DC 12/24V	6A, 72W	8/16 meters
17007		Wireless RFDimmer with	DC 12/24V	8A, 96W	15 /30 meters
N/A		Wireless RF controller with 4 key Buttons	DC 12/24V	A, 144W	15/30 meters



LED HIGHBAYS

70W

SC-770



SKU CODE	19748
COLOR	WHITE 6000K
WATTS	70W
LUMENS	4900 LM
LED TYPE	SMD
BEAM ANGLE	120°
EQUIV. WATTS	200W
ENERGY LEVEL	A
CRI	>70
PF	>0.6
VOLTAGE / FRQNCY	220-240V, 50/60HZ
UNIT SIZE	400MM
IP RATING	IP44
MATERIAL	ALUMINUM

100W

SC-7100



SKU CODE	19749
COLOR	WHITE 6000K
WATTS	100W
LUMENS	7000 LM
LED TYPE	SMD
BEAM ANGLE	120°
EQUIV. WATTS	300W
ENERGY LEVEL	A
CRI	>70
PF	>0.6
VOLTAGE / FRQNCY	220-240V, 50/60HZ
UNIT SIZE	440MM
IP RATING	IP44
MATERIAL	ALUMINUM

LED PAR LIGHTS



54W

LP001



SKU 14952

FEATURES:	FULL COLOR CHANGING EFFECT, STROBE, LCD OPERATION.
LIGHT SOURCE:	54 X 3W LED (R12/G18/B18/W6)
CONTROL MODE:	SOUND-ACTIVATED/AUTO-PLAY/DMX/MASTER-SLAVE
POWER SUPPLY:	AC110V-240V/50 Hz
WATTS:	54W
SOURCE LIFE:	20,000 HOURS
BEAM ANGLE:	25°
DMX CHANNEL:	8
PACKING SIZE:	255*255*360MM
N.W/G.W(KG):	2.9/3.2KG
PCS/CTN:	4PCS/CTN

36W

LP002



SKU 14951

FEATURES:	FULL COLOR CHANGING EFFECT, STROBE, LCD OPERATION.
LIGHT SOURCE:	36 X 3W LED(R12/B12/G12)
CONTROL MODE:	SOUND-ACTIVATED/AUTO-PLAY/DMX/MASTER-SLAVE
POWER SUPPLY:	AC110V-240V/50 Hz
WATTS:	36W
SOURCE LIFE:	20,000 HOURS
BEAM ANGLE:	25°
DMX CHANNEL:	7
PACKING SIZE:	255*255*360MM
N.W/G.W(KG):	2.8/3.1 KG
PCS/CTN:	4PCS/CTN



HIGH POWER DOWNLIGHTS

3W**SCLED-003-HP-RD**

SKU CODE:
13111 WHITE
13112 WARM WHITE

UNIT SIZE: Ø 90MM
CUTTING SIZE: Ø 75 MM

WATTS: 3W
LUMINOUS FLUX: 180 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

4W**SCLED-004-HP-SQ**

SKU CODE:
13133 WHITE
13134 WARM WHITE

UNIT SIZE: 95 X 95MM
CUTTING SIZE: 85 X 85MM

WATTS: 4W
LUMINOUS FLUX: 240 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

**SCLED-004-HP-RD****4W**

SKU CODE:
13138 WHITE
13139 WARM WHITE

UNIT SIZE: Ø 90MM
CUTTING SIZE: Ø 75MM

WATTS: 4W
LUMINOUS FLUX: 240 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

**SCLED-005-HP-RD****5W**

SKU CODE:
13152 WHITE
13153 WARM WHITE

UNIT SIZE: Ø 115MM
CUTTING SIZE: Ø 100MM

WATTS: 5W
LUMINOUS FLUX: 300 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

**SCLED-007-HP-RD****7W**

SKU CODE:
13172 WHITE
13173 WARM WHITE

UNIT SIZE: Ø 115MM
CUTTING SIZE: Ø 100MM

WATTS: 7W
LUMINOUS FLUX: 420 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

**SCLED-009-HP-RD****9W**

SKU CODE:
13191 WHITE
13192 WARM WHITE

UNIT SIZE: Ø 140MM
CUTTING SIZE: Ø 130MM

WATTS: 9W
LUMINOUS FLUX: 540 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

**SCLED-018-HP-RD****18W**

SKU CODE:
13027 WHITE
13035 WARM WHITE

UNIT SIZE: Ø 195MM
CUTTING SIZE: Ø 180MM

WATTS: 18W
LUMINOUS FLUX: 1080 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

**SCLED-022-HP-RD****22W**

SKU CODE:
13080 WHITE
13081 WARM WHITE

UNIT SIZE: Ø 195MM
CUTTING SIZE: Ø 180MM

WATTS: 22W
LUMINOUS FLUX: 1320 LM
COLOR TEMPERATURE: WHITE / WARM WHITE

HIGH POWER DOWNLIGHTS



4W

SCLED-04-01 SQ

UNIT SIZE: 85 X 85 MM
CUTTING SIZE: 75 X 75 MM



WATTS: 4W
LUMINOUS FLUX: 240 LM
SKU CODE: 13136 WHITE
13137 WARMWHITE

6W

SCLED-06-01 RD

UNIT SIZE: Ø 105 MM
CUTTING SIZE: Ø 95 MM



WATTS: 6W
LUMINOUS FLUX: 360 LM
SKU CODE: 13154 WHITE
13155 WARMWHITE

UNIT SIZE: 110 X 110 MM
CUTTING SIZE: 95 MM



7W

SCLED-07-01 SQ

WATTS: 7W
LUMINOUS FLUX: 420 LM
SKU CODE: 13171 WHITE
13170 WARMWHITE

9W

SCLED-0009 RD

UNIT SIZE: Ø 130 MM
CUTTING SIZE: Ø 115 MM



WATTS: 9W
LUMINOUS FLUX: 540 LM
SKU CODE: 13193 WHITE
13194 WARMWHITE

UNIT SIZE: 135 X 135 MM
CUTTING SIZE: 115 X 115 MM



9W

SCLED-0009 SQ

WATTS: 9W
LUMINOUS FLUX: 540 LM
SKU CODE: 13195 WHITE
13196 WARMWHITE

12W

SCLED-012-01 RD

UNIT SIZE: Ø 130 MM
CUTTING SIZE: Ø 115 MM



WATTS: 12W
LUMINOUS FLUX: 720 LM
SKU CODE: 13003 WHITE
13004 WARMWHITE



HIGH POWER DOWNLIGHTS



SCLED-0001 RD

1W

SKU CODE:
13060 WHITE
13077 WARM WHITE

UNIT SIZE: Ø 52 MM
CUTTING SIZE: Ø 25 MM

WATTS: 1W
LUMINOUS FLUX: 60LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0001 SQ

1W

SKU CODE:
13065 WHITE
13066 WARM WHITE

UNIT SIZE: 50 X 50 MM
CUTTING SIZE: 25 X 25 MM

WATTS: 1W
LUMINOUS FLUX: 60LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0036 RD

1W

SKU CODE:
13067 WHITE
13068 WARM WHITE

UNIT SIZE: Ø 35 MM
CUTTING SIZE: Ø 22 MM

WATTS: 1W
LUMINOUS FLUX: 60LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0036 SQ

1W

SKU CODE:
13069 WHITE
13070 WARM WHITE

UNIT SIZE: 35 X 35 MM
CUTTING SIZE: 22 X 22 MM

WATTS: 1W
LUMINOUS FLUX: 60LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0003-02

3W

SKU CODE:
13101 WHITE
13102 WARM WHITE

UNIT SIZE: Ø 70 MM
CUTTING SIZE: Ø 60 MM

WATTS: 3W
LUMINOUS FLUX: 180LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0004-07

4W

SKU CODE:
13131 WHITE
13132 WARM WHITE

UNIT SIZE: 96 X 96 MM
CUTTING SIZE: 85 X 85 MM

WATTS: 4W
LUMINOUS FLUX: 240LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0007-03 SQ

7W

SKU CODE:
13166 WHITE
13167 WARM WHITE

UNIT SIZE: 95 X 95 MM
CUTTING SIZE: 80 X 80 MM

WATTS: 7W
LUMINOUS FLUX: 420LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0009-07

9W

SKU CODE:
13180 WHITE
13181 WARM WHITE

UNIT SIZE: 140 X 140 MM
CUTTING SIZE: 120 X 120 MM

WATTS: 9W
LUMINOUS FLUX: 540LM
COLOR TEMPERATURE: WHITE / WARM WHITE



SCLED-0016-01

16W

SKU CODE:
13021 WHITE
13019 WARM WHITE

UNIT SIZE: 170 X 170 MM
CUTTING SIZE: 155 X 155 MM

WATTS: 16W
LUMINOUS FLUX: 960LM
COLOR TEMPERATURE: WHITE / WARM WHITE

HIGH POWER DOWNLIGHTS



3W

COB DOWNLIGHT PKW



SC-305

WATTS:

3W

LUMINOUS FLUX:

180 LM

SKU CODE:

13119 WHITE

13120 WARMWHITE

SIZE:

Φ 70 MM

CUTTING SIZE:

Φ 60 MM

3W

COB DOWNLIGHT



SC-303

WATTS:

3W

LUMINOUS FLUX:

180 LM

SKU CODE:

13117 WHITE

13118 WARMWHITE

SIZE:

Φ 90 X 25H MM

CUTTING SIZE:

Φ 64 MM

12W

SCLED-0012 SQ

UNIT SIZE: 130 X 130 MM
CUTTING SIZE: 115 X 115 MM



WATTS:

12W

LUMINOUS FLUX:

720 LM

SKU CODE:

13005 WHITE

13006 WARMWHITE

15W

SCLED-0015-01

UNIT SIZE: Ø 140 MM
CUTTING SIZE: Ø 130 MM



WATTS:

15W

LUMINOUS FLUX:

900 LM

SKU CODE:

13012 WHITE

13011 WARMWHITE